## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions and listings of claims in the application:

- 1. (currently amended) A resin composition characterized by comprising a <u>biodegradable</u> resin and an organically modified layered silicate in which a substituted silyl group having a substituted or non-substituted alkyl group bonds to a layered silicate.
- 2. (original) The resin composition as claimed in claim 1, characterized in that the substituted silyl group has a substituent selected from the group consisting of an amino group, an epoxyethyl group, an epoxyethyloxy group, a vinyl group, an isopropenyl group, a 1-phenylvinyl group, a 4-vinylphenyl group, an isocyanate group, and a hydroxyl group.
- 3. (original) The resin composition as claimed in claim 1, characterized in that the substituted or non-substituted alkyl group is a substituted alkyl group, wherein the substituted alkyl group has a substitutent selected from the group consisting of an amino group, an epoxyethyl group, an epoxyethyloxy group, a vinyl group, an isopropenyl group, a 1-phenylvinyl group, a 4-

S/N: TBA 5/24/2006 Docket No.: ITO-105-PCT vinylphenyl group, an isocyanate group, and a hydroxyl group, which substituent bonds to a terminal of the alkyl group.

- 4. (original) The resin composition as claimed in claim 1, characterized in that the number of carbon atoms contained in the alkyl group is 3 or greater and 18 or less.
- 5. (original) The resin composition as claimed in claim 1, characterized in that the substituted or non-substituted alkyl group is a substituted first alkyl group, wherein the substituted first alkyl group has an atomic group selected from the group consisting of an amide linkage, an ester linkage, an N-oxymethyleneamino group, and an N,N'-di(oxymethylene)amino group, which atomic group bonds to a terminal of the first alkyl group, and the atomic group has a substituted or non-substituted second alkyl group.
- 6. (original) The resin composition as claimed in claim 5, characterized in that the substituted or non-substituted second alkyl group is a substituted second alkyl group, wherein the substituted second alkyl group has a substituent selected from the group consisting of an amino group, an epoxyethyl group, an epoxyethyloxy group, a vinyl group, an isopropenyl group, a 1-phenylvinyl group, a 4-vinylphenyl group, an isocyanate group, and a hydroxyl group, which substituent bonds to a terminal of

S/N: TBA 5/24/2006 Docket No.: ITO-105-PCT

the second alkyl group.

7. (original) The resin composition as claimed in claim 5, characterized in that the total of the number of carbon atoms contained in the first alkyl group and the number of carbon atoms contained in the second alkyl group is 3 or greater and 18 or less.

- 8. (currently amended) The resin composition as claimed in claim
- 1, characterized in that the <u>biodegradable</u> resin is a biodegradable polyester-based resin.
- 9. (currently amended) The resin composition as claimed in claim [[1]] 8, characterized in that the biodegradable polyester-based resin is poly(lactic acid).
- 10. (original) A resin molded object characterized by being molded using the resin composition as claimed in claim 1.